


**the
TASMAN
TANK CO.**

DESIGN ■ FABRICATE ■ CONSTRUCT



DEMINERALISED • POTABLE • BORE • RAW • PROCESS • PERMEATE • EFFLUENT • FIRE

The Tasman Tank Co. is pleased to present our comprehensive range of liquid storage solutions for the Mining and Power Station Industry.

Our company objective is “quality tanks and storage solutions at competitive prices”.

Our specialised tanks supplied to your industry are:

Series TS600	Circular Bolted Galvanised Liner Tank
Series TS600	Open-Top Bolted Circular Galvanised Liner Tank
Series TC-D103	Circular Bolted RTP Proprietary Coated Tank

TOUGH TANKS FOR TOUGH TERRAINS



The Tasman Tank Co. offer our clients 25 years industry, experience, specialising in tank design, manufacturing and installation both

locally and internationally. Our focus on quality control ensures that the highest standards are maintained.

A ten-year conditional warranty on all tanks is provided to ensure customer satisfaction.

Occupational Health Safety & Environment is key in our company:

- All fatalities and injuries are preventable.
- No task is so important that it cannot be done safely.
- All hazards can be identified and their risks managed.
- Everyone has a personal responsibility for the safety and health of themselves and others.

At Tasman Tanks, we recognize that commitment to a quality product is the key to customer satisfaction. We achieve this by designing and manufacturing in house. Another area that we separate ourselves from our opposition is all our onsite installers are employed directly – we do not use subcontractors for our tank installations.

The Tasman Tank Co. prides itself on providing a very personal yet professional service to all our clients. With our diverse range of quality products, our field installation capabilities and our customer service, we remain unmatched in the industry.



TS600 CIRCULAR LINER TANK

The TS600 Circular tank is a bolted steel design incorporating an internal membrane liner to provide the water containment. The tanks are constructed on site, by our trained erection construction crews, using our hydraulic jacking system.

Specification options available include:

- Wall sheet material – Galvabond, hot-dip galvanized steel or stainless steel.
- Internal membrane liner: PVC, Aeon, Butyl Rubber, Polypropylene or Strongline.
- Standard mono-clad roof structure and sheeting or long-life ZAM structure & Ultra sheeting. Aluminium is also available. All roofs are designed to AS/NZS1170.2.
- All tank suction outlets are provided with vortex plates with grilles to bond the liner in place and prevent disruption to pump flow.
- Access ladders or stairways are supplied on all tanks. Ladders conform with AS1657. Side entry manholes can also be supplied.
- To meet environmental and aesthetic requirements we can custom the external finish to suit. There is a huge palette of colours available for powder coating walls and the full Colorbond range is available for roof sheeting.
- The TS600 tank can also be insulated to prevent freezing in cold environments.



TS600 Open-Top Circular Liner Tank

The TS600 Open-Top Circular tank contains the same specifications as the TS600 Circular Liner Tank without the roof structure. The liner material is UV stabilized to increase design-life.



The Tasman Tank Co. has teamed up with the Tank Connection Affiliate Group to bring you the most complete line of bolted storage tanks offered

TC-D103 Circular Bolted Steel RTP™ Proprietary Coated Storage Solutions

RTP bolted tanks feature exact manufacturing tolerances and the top rated Fusion 7000 FBE™ powder coat process available for bolted tank construction worldwide. **The Tasman Tank Co.** also provides complete turnkey field installation service, utilizing direct factory crews and supervisors. Field installation is accomplished utilizing a synchronized, hydraulic screw jack process, which allows field crews to install tanks/silos at grade level. This process receives the highest industry ratings for quality control and safety in the field.

For potable water, wastewater, fire protection and industrial liquids, **The Tasman Tank Co.** offers unlimited configurations in bolted tank construction from ground reservoirs to elevated water tanks. Standard liquid tank capacities range from 100m³ to 30,000m³. In all cases, RTP tank construction outperforms other types of bolted tank construction through its superior design, Tank Connections proprietary coating systems and safe field installation processes.

The Tasman Tank Co. also provides the Bolted RTP™ Construction for Dry Bulk Storage Silos & Integrated Storage Systems

For all storage solutions for potable water, wastewater, fire protection and industrial liquid. We provide the **COMPLETE PERFORMANCE PACKAGE:**

- Specify
- Design
- Manufacture
- Field Construction
- “Golden Rule” Customer Service



1. RTP Construction Potable Water
2. RTP Construction - Potable Water
- 4 million gallons/ 15,000 m³
3. Bolted Steel Floor



Head Office:
151 Glendenning Road
Glendenning NSW 2761
Phone: +61 2 8887 5000
Email: info@tasmantanks.com.au

NZ Head Office:
PO Box 10-000, Phillipstown,
Christchurch, 8145 New Zealand
Phone: +64 3 379 9444
Email: salesnz@tasmantanks.com.au

Sales Office:
Free Phone: 1800 826 526 or (NZ) 0800 826 526
Email: sales@tasmantanks.com.au
www.tasmantanks.com.au